

**ANNUAL REPORTS
OF
International Center for Biotechnology
Osaka University**

Vol. 29, 2007

Director/Editor	Satoshi Harashima
Editor	Takuya Nihira
Assistant editor	Kazuhito Fujiyama
	Hiroshi Kinoshita
	Shigeru Kitani
Secretary	Naoko Ose
	Fumiko Tomomatsu
	Yukiko Seto
	Ayako Tomio

The Annual Report is published to record the activity of the International Center for Biotechnology (ICBiotech) and issued once in each fiscal year. It contains scientific articles, progress reports, letters, and announcement from the Center. This volume includes publications by the former participants in UNESCO postgraduate courses. The editor welcomes the submission of appropriate articles from all persons who are concerned with the activity of the Center. All the contributions, however, will be reviewed by editors before their acceptance. The scientific paper herein should be treated as personal communications and not treated as original publications. The Annual Report is distributed upon request to the International Center for Biotechnology, Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan (e-mail: info@icb.osaka-u.ac.jp). The editors are very grateful to Ms. Fumiko Sawazumi for her technical help.

CONTENTS

<u>Characterization of Biosynthetic Gene Cluster for the Production of Virginiamycin M, a Streptogramin Type A Antibiotic, in <i>Streptomyces virginiae</i></u>	
<i>N. Pulsawat, S. Kitani, and T. Nihira</i>	1
<u>Identification of the <i>bkdAB</i> Gene Cluster, a Plausible Source of the Starter-Unit for Virginiamycin M Production in <i>Streptomyces virginiae</i></u>	
<i>N. Pulsawat, S. Kitani, H. Kinoshita, Chang Kwon Lee, and T. Nihira</i>	13
<u>Identification and In Vivo Functional Analysis by Gene Disruption of <i>ctnA</i>, an Activator Gene Involved in Citrinin Biosynthesis in <i>Monascus purpureus</i></u>	
<i>T. Shimizu, H. Kinoshita, and T. Nihira</i>	21
<u>Production of Mouse Monoclonal Antibody with Galactose-Extended Sugar Chain by Suspension Cultured Tobacco BY2 Cells Expressing Human $\beta(1,4)$-Galactosyltransferase</u>	
<i>K. Fujiyama, A. Furukawa, A. Katsura, R. Misaki, T. Omasa, and T. Seki</i>	29
<u><i>N</i>-Linked Glycan Structures of Glycoproteins in Suspension-Cultured <i>Arabidopsis thaliana</i> MM2d Cells</u>	
<i>K. Fujiyama, R. Tanaka, M. Terashima, and T. Seki</i>	37
<u>Evidence for New β1-3 Galactosyltransferase Activity Involved in Biosynthesis of Unusual <i>N</i>-Glycan Harboring T-Antigen in <i>Apis mellifera</i></u>	
<i>Y. Kimura, S. Sakamura, T. Ushijima, Y. Hama, H. Kajiura, K. Fujiyama, K. Okihara, K. Hashimoto, H. Sugimoto, and H. Yamada</i>	43
<u>Molecular Cloning and Expression of Two Novel β-<i>N</i>-Acetylglucosaminidases from Silkworm <i>Bombyx mori</i></u>	
<i>T. Okada, S. Ishiyama, H. Sezutsu, A. Usami, T. Tamura, K. Mita, K. Fujiyama, and T. Seki</i>	47
<u>Production of Dengue 2 Envelope Domain III in Plant Using TMV-Based Vector System</u>	
<i>W. Saejung, K. Fujiyama, T. Takasaki, M. Ito, K. Hori, P. Malasit, Y. Watanabe, I. Kurane, and T. Seki</i>	57

<u>Replication-Competent Recombinant Vesicular Stomatitis Virus Encoding Hepatitis C Virus Envelope Proteins</u>	
<i>H. Tani, Y. Komoda, E. Matsuo, K. Suzuki, I. Hamamoto, T. Yamashita, K. Moriishi, K. Fujiyama, T. Kanto, N. Hayashi, A. Owsianka, A. H. Patel, M. A. Whitt, and Y. Matsuura</i>	67
<u><i>Candida phangngensis</i> sp. nov., an Anamorphic Yeast Species in the <i>Yarrowia</i> Clade, Isolated from Water in Mangrove Forests in Phang-Nga Province, Thailand</u>	
<i>S. Limtong, W. Youngmanitchai, H. Kawasaki, and T. Seki</i>	79
<u>Identification and Characterization of a Very Long-Chain Fatty Acid Elongase Gene in the Methylophilic Yeast, <i>Hansenula polymorpha</i></u>	
<i>P. Prasitchoke, Y. Kaneko, T. Bamba, E. Fukusaki, A. Kobayashi, and S. Harashima</i>	85
<u>Large Scale Deletions in the <i>Saccharomyces cerevisiae</i> Genome Create Strains with Altered Regulation of Carbon Metabolism</u>	
<i>K. Murakami, E. Tao, Y. Ito, M. Sugiyama, Y. Kaneko, S. Harashima, T. Sumiya, A. Nakamura and M. Nishizawa</i>	95
<u>Functional Analysis of Very Long-Chain Fatty Acid Elongase Gene, <i>HpEL O2</i>, in the Methylophilic Yeast <i>Hansenula polymorpha</i></u>	
<i>P. Prasitchoke, Y. Kaneko, M. Sugiyama, T. Bamba, E. Fukusaki, A. Kobayashi, and S. Harashima</i>	105
<u>Decrement of Chromosome Size Causes the Defect of Sister Chromatid Cohesion without Alteration of Pericentric Cohesin Distribution in <i>Saccharomyces cerevisiae</i></u>	
<i>K. Yamagishi, A. Kohama, Y. Katou, K. Shirahige, M. Sugiyama, Y. Kaneko, and S. Harashima</i>	117
<u>Cohesion in Chromosome Arm Is Essential for Faithful Segregation of Sister-Chromatids in <i>Saccharomyces cerevisiae</i></u>	
<i>K. Yamagishi, A. Kohama, Y. Katou, K. Shirahige, M. Sugiyama, Y. Kaneko, and S. Harashima</i>	119
<u>Prediction of Japanese Green Tea Ranking by Gas Chromatography/Mass Spectrometry-Based Hydrophilic Metabolite Fingerprinting</u>	
<i>W. Pongsuwan, E. Fukusaki, T. Bamba, T. Yonetani, T. Yamahara, and A. Kobayashi</i>	121
<u>¹H NMR Based Metabolic Profile in the Evaluation of Japanese Green Tea Quality</u>	
<i>L. Tarachiwin, K. Ute, A. Kobayashi, and E. Fukusaki</i>	127

<u>Prediction of Japanese Green Tea Ranking by Fourier Transform Near-Infrared Reflectance Spectroscopy</u>	
<i>T. Ikeda, S. Kanaya, T. Yonetani, A. Kobayashi, and E. Fukusaki</i>	135
<u>Time-Course Metabolic Profiling in <i>Arabidopsis thaliana</i> Cell Cultures after Salt Stress Treatment</u>	
<i>Jae Kwang Kim, T. Bamba, K. Harada, E. Fukusaki, and A. Kobayashi</i>	141
<u>Use of an <i>Escherichia coli</i> Recombinant Producing Thermostable Polyphosphate Kinase as an ATP Regenerator to Produce Fructose 1,6-Diphosphate</u>	
<i>S. Iwamoto, K. Motomura, Y. Shinoda, M. Urata, J. Kato, N. Takiguchi, H. Ohtake, R. Hirota, and A. Kuroda</i>	151
<u>Improved Production of Recombinant Human Antithrombin III in Chinese Hamster Ovary Cells by ATF4 Overexpression</u>	
<i>T. Ohya, T. Hayashi, E. Kiyama, H. Nishii, H. Miki, K. Kobayashi, K. Honda, T. Omasa, and H. Ohtake</i>	155
<u>Stabilization of Water-in-Oil Emulsion by <i>Rhodococcus opacus</i> B-4 and Its Application to Biotransformation</u>	
<i>K. Honda, S. Yamashita, H. Nakagawa, Y. Sameshima, T. Omasa, J. Kato, and H. Ohtake</i>	163
<u>Metabolic Pathway Recruiting through Genomic Data Analysis for Industrial Application of <i>Saccharomyces cerevisiae</i></u>	
<i>S. Shioya, H. Shimizu, T. Hirasawa, K. Nagahisa, C. Furusawa, G. Pandey, and Y. Katakura</i>	171
<u>Enhancement of 1,4-Dihydroxy-2-Naphthoic Acid Production by <i>Propionibacterium freudenreichii</i> ET-3 Fed-Batch Culture</u>	
<i>K. Furuichi, Y. Katakura, K. Ninomiya, and S. Shioya</i>	181
<u>Enhancement of Ethanol Production by Promoting Surface Contact between Starch Granules and Arming Yeast in Direct Ethanol Fermentation</u>	
<i>Teik Seong Khaw, Y. Katakura, K. Ninomiya, C. Moukamnerd, A. Kondo, M. Ueda, and S. Shioya</i>	189
<u>Microaeration Enhances Productivity of Bioethanol from Hydrolysate of Waste House Wood Using Ethanologenic <i>Escherichia coli</i> KO11</u>	
<i>N. Okuda, K. Ninomiya, M. Takao, Y. Katakura, and S. Shioya</i>	193
<u>Simulation Model for Predicting Limit of Detection and Range of Quantitation of Competitive Enzyme-Linked Immunosorbent Assay</u>	
<i>Dong Hwan Choi, Y. Katakura, R. Matsuda, Y. Hayashi, K. Ninomiya, and S. Shioya</i>	201

<u>Fed-Batch Coculture of <i>Lactobacillus kefiranofaciens</i> with <i>Saccharomyces cerevisiae</i> for Effective Production of Kefiran</u>	207
<i>S. Tada, Y. Katakura, K. Ninomiya, and S. Shioya</i>	
<u>Production of Biodegradable Copolyester P(3HB-co-4HB) by Newly Isolated <i>Ralstonia</i> sp. A-04</u>	213
<i>S. Chanprateep, Y. Katakura, H. Shimizu, S. Kulprecha, S. Visetkoop, and S. Shioya</i>	
<u>Rational Screening of Antibodies and Design of Sandwich Enzyme Linked Immunosorbant Assay on the Basis of a Kinetic Model</u>	215
<i>Dong Hwan Choi, Y. Katakura, K. Ninomiya, and S. Shioya</i>	
<u>Protein Thermostabilization Requires a Fine-Tuned Placement of Surface-Charged Residues</u>	227
<i>Dong-Ju You, S. Fukuchi, K. Nishikawa, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Four New Crystal Structures of Tk-Subtilisin in Unautoprocessed, Autoprocessed and Mature Forms: Insight into Structural Changes during Maturation</u>	237
<i>S. Tanaka, H. Matsumura, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Requirement of Left-Handed Glycine Residue for High Stability of the Tk-Subtilisin Propeptide as Revealed by Mutational and Crystallographic Analyses</u>	253
<i>M. A. Pulido, S. Tanaka, C. Sringiew, Dong Ju You, H. Matsumura, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Gentisate 1,2-Dioxygenase from <i>Xanthobacter polyaromaticivorans</i> 127W</u>	269
<i>S. Hirano, M. Morikawa, K. Takano, T. Imanaka, and S. Kanaya</i>	
<u>Crystallization and Preliminary X-Ray Diffraction Study of Glycerol Kinase from the Hyperthermophilic Archaeon <i>Thermococcus kodakaraensis</i></u>	277
<i>R. Katsumi, Y. Koga, Dong-Ju You, H. Matsumura, K. Takano, and S. Kanaya</i>	
<u>Extracellular Overproduction and Preliminary Crystallographic Analysis of a Family 1.3 Lipase</u>	281
<i>C. Angkawidjaja, Dong-Ju You, H. Matsumura, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Crystal Structure of Unautoprocessed Precursor of Subtilisin from a Hyperthermophilic Archaeon – Evidence for Ca²⁺-Induced Folding –</u>	285
<i>S. Tanaka, K. Saito, Hyongi Chon, H. Matsumura, Y. Koga, K. Takano, and S. Kanaya</i>	

<u>Directed Evolution of Tk-Subtilisin from a Hyperthermophilic Archaeon: Identification of a Single Amino Acid Substitution Responsible for Low-Temperature Adaptation</u>	295
<i>M.A. Pulido, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Structural, Thermodynamic, and Mutational Analyses of a Psychrotrophic RNase HI</u>	307
<i>T. Tadokoro, Dong-Ju You, Y. Abe, Hyongi Chon, H. Matsumura, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Crystal Structure of Type 1 Ribonuclease H from Hyperthermophilic Archaeon <i>Sulfolobus tokadaii</i>: Role of Arginine 118 and C-Terminal Anchoring</u>	317
<i>Dong-Ju You, Hyongi Chon, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Identification of the Gene Encoding a Type 1 RNase H with an N-Terminal Double-Stranded RNA Binding Domain from a Psychrotrophic Bacterium</u>	327
<i>T. Tadokoro, Hyongi Chon, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Structural and Thermodynamic Analyses of <i>Escherichia coli</i> RNase HI Variant with Quintuple Thermostabilizing Mutations</u>	341
<i>M. Haruki, M. Tanaka, T. Motegi, T. Tadokoro, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Conformational Contagion in a Protein: Structural Properties of a Chameleon Sequence</u>	353
<i>K. Takano, Y. Katagiri, A. Mukaiyama, Hyongi Chon, H. Matsumura, Y. Koga, and S. Kanaya</i>	
<u>Crystal Structure of a Family I.3 Lipase from <i>Pseudomonas</i> sp. MIS38 in a Closed Conformation</u>	363
<i>C. Angkawidjaja, Dong-Ju You, H. Matsumura, K. Kuwahara, Y. Koga, K. Takano, and S. Kanaya</i>	
<u>Kinetic Modeling of Kefiran Production in Mixed Culture of <i>Lactobacillus kefiranofaciens</i> and <i>Saccharomyces cerevisiae</i></u>	369
<i>B. Cheirsilp, H. Shimizu, and S. Shioya</i>	
<u>Extracting the Hidden Features in Saline Osmotic Tolerance in <i>Saccharomyces cerevisiae</i> from DNA Microarray Data Using the Self-Organizing Map: Biosynthesis of Amino Acids</u>	379
<i>G. Pandey, K. Yoshikawa, T. Hirasawa, K. Nagahisa, Y. Katakura, C. Furusawa, H. Shimizu, and S. Shioya</i>	

<u>Physiological Analysis of Yeast Cells by Flow Cytometry during Serial-Repitching of Low-Malt Beer Fermentation</u>	391
<i>M. Kobayashi, H. Shimizu, and S. Shioya</i>	
<u>Analysis of Hemin Effect on Lactate Reduction in <i>Lactococcus lactis</i></u>	397
<i>M. Nagayasu, A. K. Wardani, K. Nagahisa, H. Shimizu, and S. Shioya</i>	
<u>Identification of Target Genes Conferring Ethanol Stress Tolerance to <i>Saccharomyces cerevisiae</i> Based on DNA Microarray Data Analysis</u>	403
<i>T. Hirasawa, K. Yoshikawa, Y. Nakakura, K. Nagahisa, C. Furusawa, Y. Katakura, H. Shimizu, and S. Shioya</i>	
<u>Study on Roles of Anaplerotic Pathways in Glutamate Overproduction of <i>Corynebacterium glutamicum</i> by Metabolic Flux Analysis</u>	415
<i>T. Shirai, K. Fujimura, C. Furusawa, K. Nagahisa, S. Shioya, and H. Shimizu</i>	
<u>Reduction of Lactate Production in <i>Lactococcus lactis</i>, a Combined Strategy: Metabolic Engineering by Introducing Foreign Alanine Dehydrogenase Gene and Hemin Addition</u>	427
<i>A. K. Wardani, K. Nagahisa, H. Shimizu, and S. Shioya</i>	
<u>Analysis of Fluctuation in Protein Abundance without Promoter Regulation Based on <i>Escherichia coli</i> Continuous Culture</u>	435
<i>T. Yamada, C. Furusawa, K. Nagahisa, A. Kashiwagi, T. Yomo, and H. Shimizu</i>	
<u>Dynamic Change in Promoter Activation during Lysine Biosynthesis in <i>Escherichia coli</i> Cells</u>	445
<i>Jianhong Ou, T. Yamada, K. Nagahisa, T. Hirasawa, C. Furusawa, T. Yomo, and H. Shimizu</i>	
<u><i>Rhizopus delemar</i> Is the Proper Name for <i>Rhizopus oryzae</i> Fumaric-Malic Acid Producers</u>	453
<i>A. Abe, Y. Oda, K. Asano, and T. Sone</i>	
<u>Production of Di-D-Fructofranosyl-2,6':2',6-Anhydride (DFA IV) by Recombinant <i>Bacillus subtilis</i> Carrying Heterogenous Levan Fructotransferase from <i>Arthrobacter nicotinovorans</i> GS-9</u>	463
<i>N. Takesue, T. Sone, M. Tanaka, F. Tomita, and K. Asano</i>	
<u>Yoghurt Fermented by <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> H⁺-ATPase-Defective Mutants Exhibits Enhanced Viability of <i>Bifidobacterium breve</i> during Storage</u>	467
<i>M. P. Ongol, Y. Sawatani, Y. Ebina, T. Sone, M. Tanaka, F. Tomita, A. Yokota, and K. Asano</i>	

<u>A <i>Mesorhizobium loti</i> Mutant with Reduced Glucan Content Shows Defective Invasion of Its Host Plant <i>Lotus japonicus</i></u>	477
<i>Y. Kawaharada, S. Eda, K. Minamisawa, and H. Mitsui</i>	
<u>Analysis of Molecular Diversity of Bacterial Chitinase Genes in the Maize Rhizosphere Using Culture-Independent Methods</u>	493
<i>S. Ikeda, N. Ytow, H. Ezura, K. Minamisawa, K. Miyashita, and T. Fujimura</i>	
<u>Microbial Community Analysis of the Phytosphere Using Culture-Independent Methodologies</u>	501
<i>A. Saito, S. Ikeda, H. Ezura, and K. Minamisawa</i>	
<u>Rhizobitoxine-Induced Chlorosis Occurs in Coincidence with Methionine Deficiency in Soybeans</u>	515
<i>S. Okazaki, M. Sugawara, K. Yuhashi, and K. Minamisawa</i>	
<u>Microbial Diversity in Milled Rice as Revealed by Riosomal Intergenic Spacer Analysis</u>	521
<i>S. Ikeda, S. Fuji, T. Sato, H. Furuya, H. Naito, N. Ytow, H. Ezura, K. Minamisawa, and T. Fujimura</i>	
<u>Rhizobitoxine Production in <i>Agrobacterium tumefaciens</i> C58 by <i>Bradyrhizobium elkanii</i> <i>rtxACDEFG</i> Genes</u>	531
<i>M. Sugawara, R. Haramaki, S. Nonaka, H. Ezura, S. Okazaki, S. Eda, H. Mitsui, and K. Minamisawa</i>	
<u>A Novel Ferredoxin-Dependent Glutamate Synthase from the Hydrogen-Oxidizing Chemoautotrophic Bacterium <i>Hydrogenobacter thermophilus</i> TK-6</u>	539
<i>M. Kameya, T. Ikeda, M. Nakamura, H. Arai, M. Ishii, and Y. Igarashi</i>	
<u>Effect of Adding Cellulolytic Bacterium on Stable Cellulose-Degrading Microbial Community</u>	547
<i>N. Narisawa, S. Haruta, Zong Jun Cui, M. Ishii, and Y. Igarashi</i>	
<u>Sequencing and Reverse Transcription-Polymerase Chain Reaction (RT-PCR) Analysis of Four Hydrogenase Gene Clusters from an Obligately Autotrophic Hydrogen-Oxidizing Bacterium, <i>Hydrogenobacter thermophilus</i> TK-6</u>	551
<i>Y. Ueda, M. Yamamoto, T. Urasaki, H. Arai, M. Ishii, and Y. Igarashi</i>	
<u>Microbial Population in the Biomass Adhering to Supporting Material in a Packed-Bed Reactor Degrading Organic Solid Waste</u>	557
<i>K. Sasaki, S. Haruta, Y. Ueno, M. Ishii, and Y. Igarashi</i>	
<u>Mining and Polishing of the Treasure Trove in the Bacterial Genus <i>Streptomyces</i></u>	569
<i>S. Horinouchi</i>	

<u>Antitumor Anthraquinones from an Endophytic Actinomycete <i>Micromonospora lupini</i> sp. nov.</u>	
<i>Y. Igarashi, M. E. Trujillo, E. Martinez-Molina, S. Yanase, S. Miyanaga, T. Obata, H. Sakurai, I. Saiki, T. Fujita, and T. Furumai</i>	587
<u>Aurovertins F-H from the Entomopathogenic Fungus <i>Metarhizium anisopliae</i></u>	
<i>M. Azumi, K. Ishidoh, H. Kinoshita, T. Nihira, F. Ihara, T. Fujita, and Y. Igarashi</i>	591
<u>Microbial Enzymes Involved in Lactone Compound Metabolism and Their Biotechnological Applications</u>	
<i>M. Kataoka, K. Honda, K. Sakamoto, and S. Shimizu</i>	595
<u>Synthesis of 4-Hydroxyisoleucine by the Aldolase-Transaminase Coupling Reaction and Basic Characterization of the Aldolase from <i>Arthrobacter simplex</i> AKU 626</u>	
<i>J. Ogawa, H. Yamanaka, J. Mano, Y. Doi, N. Horinouchi, T. Kadera, N. Nio, S. V. Smirnov, N. N. Samsonova, Y. I. Kozlov, and S. Shimizu</i>	605
<u>Identification of a Sterol Δ^7 Reductase Gene Involved in Desmosterol Biosynthesis in <i>Mortierella alpina</i> 1S-4</u>	
<i>Shuo Zhang, E. Sakuradani, and S. Shimizu</i>	615
<u>Identification of a Novel Bifunctional Δ^{12}/Δ^{15} Fatty Acid Desaturase from a Basidiomycete, <i>Coprinus cinereus</i> TD#822-2</u>	
<i>Shuo Zhang, E. Sakuradani, K. Ito, and S. Shimizu</i>	621
<u>Characterization and Structure Analysis of a Novel Bacteriocin, Lacticin Z, Produced by <i>Lactococcus lactis</i> QU 14</u>	
<i>S. Iwatani, T. Zendo, F. Yoneyama, J. Nakayama, and K. Sonomoto</i>	627
<u>Kinetic Modeling and Sensitivity Analysis of Acetone-Butanol-Ethanol Production</u>	
<i>H. Shinto, Y. Tashiro, M. Yamashita, G. Kobayashi, T. Sekiguchi, T. Hanai, Y. Kuriya, M. Okamoto, and K. Sonomoto</i>	637
<u>Novel High-Efficient Butanol Production from Butyrate by Non-Growing <i>Clostridium saccharoperbutylacetonicum</i> N1-4 (ATCC 13564) with Methyl Viologen</u>	
<i>Y. Tashiro, H. Shinto, M. Hayashi, S. Baba, G. Kogayashi, and K. Sonomoto</i>	649
<u>Direct L-Lactic Acid Fermentation with Sago Starch by a Novel Amylolytic Lactic Acid Bacterium, <i>Enterococcus faecium</i></u>	
<i>K. Shibata, D. M. Flores, G. Kobayashi, and K. Sonomoto</i>	653

<u>Structural Analysis and Characterization of Lacticin Q, a Novel Bacteriocin Belonging to a New Family of Unmodified Bacteriocins of Gram-Positive Bacteria</u>	
<i>K. Fujita, S. Ichimasa, T. Zendo, S. Koga, F. Yoneyama, J. Nakayama, and K. Sonomoto</i>	661
<u>Bacteriocin Detection by Liquid Chromatography/Mass Spectrometry for Rapid Identification</u>	
<i>T. Zendo, J. Nakayama, K. Fujita, and K. Sonomoto</i>	669
<u>Characterization of the Third Chitinase Chi18C of <i>Clostridium paraputrificum</i> M-21</u>	
<i>K. Morimoto, M. Yoshimoto, S. Karita, T. Kimura, K. Ohmiya, and K. Sakka</i>	679
<u>Crystal Structure of Cel44A, a Glycoside Hydrolase Family 44 Endoglucanase from <i>Clostridium thermocellum</i></u>	
<i>Y. Kitago, S. Karita, N. Watanabe, M. Kamiya, T. Aizawa, K. Sakka, and I. Tanaka</i>	687
<u>High-Level Heterologous Expression of <i>Bacillus halodurans</i> Putative Xylanase Xyn11A (BH0899) in <i>Kluyveromyces lactis</i></u>	
<i>B. M. Wamalwa, Guangshan Zhao, M. Sakka, P. M. Shiundu, T. Kimura, and K. Sakka</i>	697
<u>Thermal Unfolding and Modular Architecture of <i>Clostridium stercorarium</i> Xyn10B</u>	
<i>R. Arai, S. Karita, A. Tanaka, M. Suzuki, T. Kimura, and K. Sakka</i>	703
<u>Cloning and Expression of a <i>Clostridium kluyveri</i> Gene Responsible for Diaphorase Activity</u>	
<i>S. Chakraborty, M. Sakka, T. Kimura, and K. Sakka</i>	709
<u>Two Proteins with Diaphorase Activity from <i>Clostridium thermocellum</i> and <i>Moorella thermoacetica</i></u>	
<i>S. Chakraborty, M. Sakka, T. Kimura, and K. Sakka</i>	717
<u>Enrichment of Anammox Bacteria from Marine Environment for the Construction of a Bioremediation Reactor</u>	
<i>J. Nakajima, M. Sakka, T. Kimura, K. Furukawa, and K. Sakka</i>	721
<u>Production and Characterization of Keratinolytic Protease of <i>Bacillus licheniformis</i> MZK-03 Grown on Feather Mill</u>	
<i>D. Paul, A. Rahman, M. Ilias, and M. M. Hoq</i>	729

<u>Antagonism against <i>Listeria</i> spp. and <i>Staphylococcus aureus</i> by Bacteriocin-Producing Lactic Acid Bacteria Screened from the Intestine of Philippine Carabao, Using Polymerase Chain Reaction</u>	
<i>F. B. Elegado, B. J. A. Abuel, J. T. Te, Jr., M. R. Calapardo, and M. M. Parungao</i>	735
<u>The Tyrosine Degradation Gene <i>hpdD</i> is Transcriptionally Activated by HpdA and Repressed by HpdR in <i>Streptomyces coelicolor</i>, While <i>hpdA</i> is Negatively Autoregulated and Repressed by HpdR</u>	
<i>Haihua Yang, Linqi Wang, Zhoujie Xie, Yuqing Tian, Gang Liu, and Huarong Tan</i>	745
<u>Effect of Temperature on the Anaerobic Digestion of Palm Oil Mill Effluent</u>	
<i>W. Choorit and P. Wisarnwan</i>	759
<u>Identification of DNA Methylation in 3' Genomic Regions That Are Associated with Upregulation of Gene Expression in Colorectal Cancer</u>	
<i>J. F. Smith, S. Mahmood, Fei Song, A. Morrow, D. Smiraglia, Xyeli Zhang, A. Rajput, M. J. Higgins, A. Krumm, N. J. Petrelli, J. F. Costello, H. Nagase, C. Plass, and W. A. Held</i>	769
<u>Purification and Detection of Linamarin from Cassava Root Cortex by High Performance Liquid Chromatography</u>	
<i>S. Sornyotha, Khin Lay Kyu, and K. Ratanakhanokchai</i>	781
<u>Enhancement of Pyruvate Production by Osmotic-Tolerant Mutant of <i>Torulopsis glabrata</i></u>	
<i>Liming Liu, Qinglong Xu, Yin Li, Zhongpin Shi, Yang Zhu, Guocheng Du, and Jian Chen</i>	787
<u>Cloning of Hyaluronan Synthase (<i>sz-has</i>) Gene from <i>Streptococcus zooepidemicus</i> in <i>Escherichia coli</i></u>	
<i>B. Jongsareejit, A. Bhumiratana, M. Morikawa, and S. Kanaya</i>	795
<u>Cloning, Expression, Purification and Characterization of Membrane Protein Di-Geranylgeranylglyceryl Phosphate Synthase from Archaea</u>	
<i>N. Roy, N. Nemoto, and A. Yamagishi</i>	803
<u>Shared Environmental Factors Associated with Telomere Length Maintenance in Elderly Male Twins</u>	
<i>N. Huda, H. Tanaka, B. S. Herbert, T. Reed, and D. Gilley</i>	809
<u>A Novel β-Galactosidase Capable of Glycosyl Transfer from <i>Enterobacter agglomerans</i> B1</u>	
<i>Lili Lu, Min Xiao, Xiaodong Xu, Zhengyi Li, and Yumei Li</i>	815

<u>Identification and Quantification of Methanogenic Archaea in Adult Chicken Ceca</u>	
<i>S. Saengkerdsub, R. C. Anderson, H. H. Wilkinson, Woo-Kyun Kim, D. J. Nisbet, and S. C. Ricke</i>	823
<u>Protective Effect of Aminoreductone on Photo-Degradation of Riboflavin</u>	
<i>Vu Thu Trang, Y. Kurogi, S. Katsuno, T. Shimamura, and H. Ukeda</i>	827
<u>Optimization of Cyclodextrin Glycosyltransferase Production by Response Surface Methodology Approach</u>	
<i>S. Ai-Noi, S. Abd-Aziz, N. Alithien, O. Hassan, and M. I. A. Karim</i>	833
<u>Role of Several Key Residues in the Catalytic Activity of Sucrose Isomerase from <i>Klebsiella pneumoniae</i> NK33-98-8</u>	
<i>A. Aroonnuat, T. Nihira, T. Seki, and W. Panbangred</i>	843
<u><i>Torulaspota maleeae</i> sp. nov., a Novel Ascomycetous Yeast Species from Japan and Thailand</u>	
<i>S. Limtong, Y. Imanishi, S. Jindamorakot, S. Ninomiya, W. Yongmanitchai, and T. Nakase</i>	851
<u>Effect of Carbon Sources on the Induction of Xylanolytic-Cellulolytic Multienzyme Complexes in <i>Paenibacillus curdlanolyticus</i> Strain B-6</u>	
<i>R. Waeonukul, Khin Lay Kyu, K. Sakka, and K. Ratanakhanokchai</i>	859
<u>Production of Biodegradable Poly (3-Hydroxybutyrate-co-4-Hydroxybutyrate) by <i>Paracoccus denitrificans</i></u>	
<i>Huy Kangsak and S. Chanprateep</i>	867
<u>Intergeneric Conjugative Transfer of pSET152 from <i>Escherichia coli</i> to <i>Streptomyces venezuelae</i></u>	
<i>R. JeamSeang, N. E. Namjilsuren, and A. Thamchaipenet</i>	875
<u>Molecular Diversity and Construction of a Lignocellulose Degrading Microbial Consortium for Biotechnological Conversion of Local Agricultural Biomass</u>	
<i>U. Ratanachomsri, T. Thongaram, H. Harnpicharnchai, S. Tanapongpipat, L. Eurwilaichitr, and V. Champreda</i>	881
<u>Molecular Diversity and Construction of a Lignocellulose Degrading Microbial Consortium for Biotechnological Conversion of Local Agricultural Biomass</u>	
<i>V. Champreda and Y. Igarashi</i>	883
<u>Construction of a Plasmid to Introduce Deletion in a 5'-Flanking Region of Ectoine Operon, <i>ectABC</i>, in <i>Halomonas elongata</i></u>	
<i>Dang Minh Hang and Y. Murooka</i>	887

<u>The Production of Biodegradable PHAs Containing 4-Hydroxybutyric Acid Monomer Units</u>	894
<i>Huy Hangsak and S. Chanprateep</i>	
<u>Study on Antifungal Activity from <i>Streptomyces</i> spp. against <i>Colletotrichum</i> sp.</u>	905
<i>Fitrianingsih, T. Nihira, P. Tuchinda, and W. Panbangred</i>	
<u>Phylogeny of the Genus <i>Jahnula</i> with Their Putative Anamorphs as Inferred from ITS Sequence Data</u>	915
<i>R. Prihatini, N. Boonyuen, and S. Sivichai</i>	
<u>Identification of Tyramine-Producing Lactic Acid Bacteria (LAB) from Nham Produced from Fresh and Temperature-Abused Pork Meat</u>	925
<i>P. Phommaxay, A. Tosukhowong, P. Thepkasikul, and W. Visessanguan</i>	
<u>Effects of Lacking a Flavinylation Linkage in the Reaction of Pyranose 2-Oxidase from <i>Trametes multicolor</i></u>	935
<i>N. E. Battsengel, M. Prongjit, J. Sucharitakul, and P. Chaiyen</i>	
<u>Enhancing Variations in <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees by Induced Mutagenesis</u>	942
<i>A. B. Cabang and K. Supaibulwatana</i>	
<u>Screening Endophytic Fungi Producing Bioactive Compounds from Medicinal Plants in Thailand</u>	956
<i>K. Pansuksan, H. Kinoshita, S. Kitani, and T. Nihira</i>	
<u>Screening and Isolation of Anaerobic Thermophilic Bacteria for Production of Sugars from Agricultural Wastes</u>	966
<i>Nguyen Vu Minh Hanh, S. Chimtong, Khin Lay Kyu, and K. Ratanakhanokchai</i>	
<u>Comparison of Transformation Methods for <i>Mortierella alpina</i> JT-180</u>	978
<i>D. A. Suroto, A. Ando, E. Sakuradani, and S. Shimizu</i>	
<u>Genetic Engineering of the Central Metabolic Pathway for Succinate Production in <i>Saccharomyces cerevisiae</i></u>	988
<i>Yun Hee Jeong, K. Yoshikawa, T. Hirasawa, and H. Shimizu</i>	
<u>Gene Manipulation of Shikimate Pathway in <i>Streptomyces</i></u>	999
<i>N. E. Namjilsuren, R. Jeamseang, and A. Thamchaipenet</i>	

<u>Expression Profiling of Differential Expressed Genes Related to Storage Root Formation in Siam Tulip (<i>Curcuma alismatifolia</i> Gagnep.)</u>	
<i>Phyu Phyu Thin, W. Phaephun, T. Teerakathiti, and M. Suksangpanomrung</i>	1011
<u>Molecular Genetic Characterization of Genes Potentially Involved in the Bark Necrosis Resistance in Rubber Tree</u>	
<i>Thet Yee Khaing, U. Sookmark, and P. Kongsawadworakul</i>	1022
<u>Preparative Fermentation of Novel Bacteriocins with <i>Lactococcus lactis</i> Isolates</u>	
<i>F. P. Flores, S. Iwatani, K. Shibata, T. Zendo, and K. Sonomoto</i>	1033
<u>Analysis of Metabolic Features of Naturally-Occurring Aromatic Compounds in <i>Bradyrhizobium japonicum</i> Based on Array and Gene Disruption</u>	
<i>N. Sudtachat, N. Ito, S. Eda, H. Mitsui, and K. Minamisawa</i>	1044
<u>Characterization of the Biosynthetic Gene Cluster for 4-Hydroxy-3-Nitrosobenzamide from <i>Streptomyces murayamaensis</i></u>	
<i>S. Panapruksachat, T. Kitamura, Y. Ohnishi, and S. Horinouchi</i>	1055
<u>Development of a New Chromosome-Loss Mapping System in <i>Saccharomyces cerevisiae</i></u>	
<i>S. Prukpaiboon, Y. Kaneko, M. Sugiyama, and S. Harashima</i>	1063
<u>Molecular Cloning of cDNA and Genomic DNA Encoding a New Acid Phosphatase of <i>Aspergillus niger</i></u>	
<i>Duong Anh Tuan, D. I. N. Ayudhaya, S. Wiyakrutta, and V. Meevootisom</i>	1075
<u>Studying of Microbiological Diversity and Sequence-Based Screening of Novel Subtilisins from the Expo Park Compost Metagenome</u>	
<i>Tri Nhan Nguyen, Y. Koga, K. Takano, and S. Kanaya</i>	1085
<u>Activities of International Center for Biotechnology for FY2007</u>	1099
<u>Index</u>	1129
Author Index	
Subject Index	